

Rx VACCINE

(This medication is a vaccine given to persons over 2 years of age to prevent hepatitis A infection.)



100 % EXPORT QUALITY MEDICINE



USES

This medication is a vaccine given to persons over 2 years of age to prevent hepatitis A infection. This vaccine is recommended for persons traveling to areas where the risk of hepatitis A is high; for persons at increased risk due to their jobs, such as institutional or day care workers, animal handlers, lab workers, military personnel; IV drug abusers; residents of communities with an outbreak of hepatitis A. Discuss the risks and benefits of vaccination with your doctor.

HOW TO USE

This medication is given by intramuscular injection into the upper arm by a health care professional. Shake well before injecting. Generally a single dose and a booster dose 6 to 12 months later are given.

SIDE EFFECTS

Most common is burning, stinging, pain or redness at the injection site. Mild fever, fatigue, nausea, loss of appetite, headache or weakness occur infrequently. If any of these effects continue beyond two days or become bothersome, inform your doctor. Notify your doctor if you experience: high fever, trouble breathing, skin rash, dizziness, tingling of the hands or feet, muscle or joint pain. If you notice other effects not listed above, contact your doctor or pharmacist.

PRECAUTIONS

Tell your doctor your medical history especially: illnesses or infections, blood disorders, immune system disorders, any allergies. This medication should be given during pregnancy only when clearly needed. Discuss the risks and benefits with your doctor. It is not known if this medication appears in breast

milk. Consult your doctor before breast-feeding.

DRUG INTERACTIONS

Tell your doctor of any over-the-counter or prescription medication you may take including: steroids, anti-cancer medications, immunosuppressants. Do not start or stop any medicine without doctor or pharmacist approval.

OVERDOSE

If overdose is suspected, contact your local poison control center or emergency room immediately. US residents can call the US national poison hotline at 1-800-222-1222. Canadian residents should call their local poison control center directly.

MISSED DOSE

This is usually given as a one time dose. As with most medications, do not "double-up" the dose if a dose is missed.

STORAGE

This medication is stored in the refrigerator as directed.

Note : This product information is intended only for residents of the India. Taj



Taj Group of Companies ^{INDIA}

Taj Pharmaceuticals Ltd.

Phone : General EPA BX : 91 - (0)22 - 26374592/92 91,
(0)22 - 26374592/93 91 - (0)22 - 30601000,
Fax : 91-(0)22-26341274

Revised November 2010